Aphid Management in Desert Produce Crops - 2018



Relative Efficacy Index For Aphids in Desert

Product	IRAC MOA	Green peach	Potato aphid	A. lactuca ¹	Foxglove aphid	Lettuce aphid ²	Cabbage aphid	Comments*
Lannate	1A							Tank mix with another product ; provides thrips control; PHI: 10 d on
								lettuce;.
Dimethoate	1B							Tank mix with another product; has some thrips activity; PHI: 7 d on
								broccoli, cauliflower; 14 d on leaf lettuce PHI: 14-21 d on head lettuce, 7 d on broccoli, cauliflower and cabbage; Use
MSR	1B							high label rate
								Tank mix with another product; provides thrips control; PHI: 21 d for head
Orthene	1B							lettuce and celery ; 7 d on cauliflower
D.d.a.l.a.th.i.a.u	4.0							Tank mix with another product, use highest labeled rates; PHI: 7 d on head
Malathion	1B							lettuce; 14 d on leaf lettuce;
Bifenthrin	3							Numerous generics available; tank mix with another product at >5 oz for
Bileittiiiii	3							best control; PHI 7 d on cole crops/head lettuce; 40 d on spinach
Imidacloprid	4A							Generics available; Soil: use 0.25 lb Al/ac or higher for residual aphid
ппиасторгіа	4/1							control; PHI: 21 d on all crops
Platinum	4A							Soil: use highest rate for residual aphid control; PHI: 30d on all crops;
								effective as post-plant side dress
Assail	4A							Use at high rates (4 oz for Assail 30G); PHI: 7 d on leafy vegetables and
								Cole crops. Use at higher rates (2.0 oz) when lettuce aphid present; PHI: 3 d on leafy
Sequoia	4C							vegetables; also active on Lygus bugs.
								Use at high rates (10-14 oz); PHI: 1 d on leafy vegetables and Cole crops;
Sivanto	4D							may take a few days to see reduction in aphid numbers.
								Use at higher rates; PHI: 3 d on broccoli, cauliflower and cabbage, 7 d for
Voliam Flexi	4A+28							leafy vegetables.
Fulfill	9B							Tank mix with another product for green peach aphid, foxglove aphids;
ruiiii	98							Initiate sprays at first signs of aphids, PHI: 7 d
Beleaf	9C							Use at higher rates (2.8 oz); PHI: 0 d on leafy vegetables and cole crops;
Deleai	30							a;so has activity against Lygus bugs
Movento	23							Use a penetrating adjuvant at 0.25%v/v or higher; PHI: 1 d for Cole crops, 3
Moveme	23							d for leafy vegetables

Good residual control (7-14 d)

Marginal residual control (4-6 d)

Poor residual control (1-3 d)

¹ Acyrthosiphon lactucae; no common name

² Nasonovia ribisnigri; aka "red aphid"

^{*} Always consult the label before applying any of these products on leafy vegetables or cole crops.