## **Lygus Management Survey Response Form A: Sampling and Thresholds**

Instructions: Please follow along with the PowerPoint presentation. Check all that apply & fill in the blanks where indicated. Individual survey responses are confidential.

|  | ygus Samping in cotton.  |
|--|--|
| a.   | Management decisions <b>are not</b> based on any specific sampling method.   |
| b.   | Use sweeps / Use sweeps from sites within an average field.  |
| c.   | Use half-grown squares/ squares from sites within an average field.  |
|  | My PCA does the sampling and I am not sure of the methodology.   |
| e.   | I use other sampling methods described below:  |
|  |  |
|  |  |
|  |  |
|  |  |
| 7 A T.   |  |
| /A. L  |  |
|  | ygus Thresholds in cotton.   |
| a.   | ygus Thresholds in cotton.  Treat when at least total Lygus (adults + nymphs) are counted in sweeps.   |
|  |  |
| b.   | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.   |
| b.   | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in  |
| b.<br>c.   | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in sweeps.  sweeps.   |
| b.<br>c.   | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in sweeps.  Treat based on nymph counts only. Treat when at least nymphs are counted in   |
| b.<br>c.<br>d.   | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in sweeps.  Treat based on nymph counts only. Treat when at least nymphs are counted in sweeps.                                       |
| <ul><li>b.</li><li>c.</li><li>d.</li><li>e.</li></ul>            | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in sweeps.  Treat based on nymph counts only. Treat when at least nymphs are counted in sweeps.  Treat when % of squares show injury. |
| <ul><li>b.</li><li>c.</li><li>d.</li><li>e.</li><li>f.</li></ul> | Treat when at least total Lygus (adults + nymphs) are counted in sweeps.  Treat when at least total Lygus with nymphs are counted in sweeps.  Treat based on adult counts only. Treat when at least adults are counted in sweeps.  Treat based on nymph counts only. Treat when at least nymphs are counted in sweeps.                                       |